



AMINO METRICS

CERTIFICATE OF ANALYSIS

Tirzepatide 20mg

Certificate #AM-2610-1120

Verify code 010c-f60d-1ec7-ba04-881d-0088-baf8-4726-caac-07fa-b0d2-3f11 (separate from the certificate #)



ISSUED TO
LotusPeptide.com

CLIENT REFERENCE
N1-T20

DATE RECEIVED
2026-10-26

DATE ISSUED
2026-10-30

SOURCE
Undisclosed


COMPOUND TESTED
Tirzepatide 20mg

STATUS
GENERATED

DATE TESTED
2026-10-30

ANALYST
AR


SAMPLE AS RECEIVED



SUMMARY OF RESULTS

TEST	RESULT	METHOD	SPECIFICATION	OUTCOME
Purity	99.61%	RP-HPLC	>= 99%	PASS
Identity (mass)	Consistent	Mass Spec	Within tolerance	PASS
Net Content	24.60 mg	Beer-Lambert Law (AUC)	90–110%	123.00%
Fentanyl	Not Detected	Lateral Flow Immunoassay	—	PASS

RP-HPLC Purity Analysis




NOTES

The tested solution eluted at 50.1% acetonitrile, while the reference standard eluted at 50.1% acetonitrile. The close agreement in retention time indicates consistency between the tested solution and the reference standard under the analytical conditions used.

Mass Spectrometry

Mass consistent with target by Mass Spec (MALDI-TOF)



Physical & Quantity Checks

Net Content

24.60 mg (123.00%)

90-110%

Fentanyl Presence Screen

Method

Lateral Flow Immunoassay

Detection limit

—

Result

Not Detected

NOTES

Fentanyl was not detected in the sample using Rapid Response fentanyl test strips. The strips utilize an antibody-based lateral flow immunoassay to screen for the presence of fentanyl. The result was negative under the conditions of the test.

Verify: <https://aminometrics.com/verify>

Enter verify code 010c-f60d-1ec7-ba04-881d-0088-baf8-4726-caac-07fa-b0d2-3f11 (not the certificate # above)

Research use only. Not for human or veterinary use. Results relate only to the sample as received and tested. Not usage or dosage guidance, and not a claim about the intended use, application, or functionality of this compound. The sample was supplied by the client. Amino Metrics did not collect it and cannot confirm its origin or handling. Retention time matching a reference standard is consistent with the target compound. It is not proof of identity, and co-eluting compounds are not excluded. The stated identity and label claim of the sample are the client's declaration. This certificate may not be reproduced except in full.